

Pesticide Safety for Fieldworkers

Protect Your Health by Following These Basic Rules:

- Only workers 16 years of age or older, with a pest applicators certificate issued by the Integrated Pest Management Program of British Columbia are permitted to mix, load, or apply pesticides.

- Before you enter a field:

- Always look for a Re-Entry sign, or
- Ask your supervisor:
 - What has been sprayed?
 - When?
 - When is it safe to re-enter?
 - What precautions should be taken?




- Pesticides can:

- Remain on leaves, branches and on the ground
- Remain on your clothes

- Pesticides can enter the body through:

- Skin
- Swallowing
- Breathing



- If you are over exposed to pesticides, you may notice:

- Dizziness or weakness
- Trouble seeing
- Excessive sweating and saliva
- Nausea or vomiting
- Skin rash
- Flu-like symptoms




Report this to your doctor, and tell them the name of the pesticide you have been exposed to.

- Remember, pesticides can enter your body through the skin:

- Wear protective clothing when using chemicals
- Always change and wash your clothing after work
- Work clothes contaminated with chemicals should be washed separately
- Never wear clothing that has been in contact with chemicals the next day

- Wash your hands, forearms and face

- After handling a pesticide or sprayed crop
- Before eating, drinking, smoking or using the toilet
- At the end of each day



- Don't eat freshly sprayed crops!

- Don't drink from a cup or container unless you're sure it's safe. Empty containers may have held pesticides.



- Stay away from unmarked containers which may contain pesticides. Pesticide containers must not be re-used for any other purpose.

- Keep out of spray path or spray drift when pesticides are being applied

- Avoid areas where pesticides are mixed, loaded, stored or disposed

- Know the location of fresh water for emergency use

- If you swallow a pesticide call the doctor immediately

- Have the label or name of the pesticide with you. Ask the doctor about first aid treatment
- If you go to the doctor take the pesticide name or label with you
- If you spill a pesticide on yourself, wash with soap and water and change your clothing immediately. If necessary, flush your eyes with water for 15 minutes
- Make sure the incident is reported to your supervisor

AgSafe

ਪੈਸਟੀਸਾਈਡ ਸਫੇਟੀ ਫੋਰ

ਫੈਲਡਵੇਰਕੇਰਸ

ਪ੍ਰੋਟੈਕਟ ਯੂਰ ਹੈਲਥ ਬੀ ਫੋਲੋਵਿੰਗ ਥੀਸੇਂ

ਬੇਸਿਕ ਰੂਲਜ਼:

ਪੈਸਟੀਸਾਈਡ ਦਵਾਈ ਨੂੰ ਸਿਰਫ ਤਜਰਬੇਕਾਰ ਕਾਮੇ ਹੀ ਛਿੜਕਣ।


ਫਾਰਮ ਵਿਚ ਕੰਮ ਸ਼ੁਰੂ ਕਰਨ ਤੋਂ ਪਹਿਲਾਂ ਸੁਪਰਵਾਈਜ਼ ਪੁੱਛੋ

- ਕੀ ਛਿੜਕਿਆ ਹੈ ?
- ਕਦੋਂ?
- ਕਦੋਂ ਦੁਬਾਰਾ ਕੰਮ ਕਰਨ ਲਈ ਠੀਕ ਹੈ?



ਯਾਦ ਰੱਖੋ ਪੈਸਟੀਸਾਈਡ ਤੁਹਾਡੇ ਜਿਸਮ ਵਿੱਚ ਚਮੜੀ ਰਾਹੀਂ ਜਾ ਸਕਦੀ ਹੈ:

ਜਦੋਂ ਤੁਹਾਡਾ ਸੁਪਰਵਾਈਜ਼ਰ ਪੈ ਸਟੀਸਾਈਡ ਛਿੜਕਣ ਲਈ ਕਹਿੰਦਾ ਹੈ ਤਾਂ ਚਮੜੀ ਦੇ ਬਚਾਓ ਲਈ ਕੱਪੜੇ ਤੇ ਹੋਰ ਸਾਜ਼ੋ ਸਮਾਨ ਪਾਓ।



ਹਮੇਸ਼ਾ ਕੰਮ ਤੋਂ ਪਿੱਛੋਂ ਆਪਣੇ ਹੱਥ ਪੈਰ ਧੋਵੋ। ਆਪਣੇ ਧੋਣ ਵਾਲੇ ਕੱਪੜੇ ਅਲੱਗ ਰੱਖੋ ਤੇ ਹਰ ਰੋਜ਼ ਸਾਫ ਕੱਪੜੇ ਪਾਓ।




ਪੈਸਟੀਸਾਈਡ:

- ਪੱਤਿਆਂ, ਟਾਹਣੀਆਂ ਤੇ ਜ਼ਮੀਨ ਤੇ ਹਵਾ ਵਿੱਚ ਰਹਿ ਸਕਦੀ ਹੈ।
- ਤੁਹਾਡੇ ਕੱਪੜਿਆਂ ਤੇ ਰਹਿ ਸਕਦੀ ਹੈ।

ਪੈਸਟੀਸਾਈਡ ਹੇਠ ਲਿਖੇ ਕਾਰਨ ਰਾਹੀਂ ਜਿਸਮ ਵਿੱਚ ਜਾ ਸਕਦੀ ਹੈ:

- ਚਮੜੀ
- ਮੂੰਹ ਰਾਹੀਂ
- ਸਾਹ ਰਾਹੀਂ



ਜੇ ਪੈਸਟੀਸਾਈਡ ਨੇ ਤੁਹਾਡੇ ਤੇ ਅਸਰ ਕੀਤਾ ਹੈ ਤਾਂ ਤੁਸੀਂ ਮਹਿਸੂਸ ਕਰੋਗੇ:

- ਨੀਂਦਰ ਜਾਂ ਕਮਜ਼ੋਰੀ
- ਦੇਖਣ ਵਿੱਚ ਔਖਿਆਈ
- ਵਧੇਰੇ ਪਸੀਨਾ ਤੇ ਮੂੰਹ ਵਿੱਚ ਖੁੱਕ ਆਉਣਾ
- ਉਬੱਤ ਜਾਂ ਉਛਾਲੀਆਂ
- ਚਮੜੀ ਤੇ ਖਾਰਸ਼
- ਫਲੂ ਵਰਗੀਆਂ ਨਿਸ਼ਾਨੀਆਂ



ਜਦੋਂ ਤੁਸੀਂ ਆਪਣੇ ਡਾਕਟਰ ਨੂੰ ਮਿਲੋ ਉਸ ਨੂੰ ਪੈਸਟੀਸਾਈਡ ਦਾ ਨਾਂ ਜਾਂ ਪੀ. ਸੀ. ਪੀ. ਨੰਬਰ ਦੱਸੋ ਜਿਸ ਨੇ ਤੁਹਾਡੇ ਤੇ ਅਸਰ ਕੀਤਾ ਹੈ।

ਨੋਟ: ਵੱਖ-ਵੱਖ ਪੈਸਟੀਸਾਈਡ ਦਾ ਬੱਚਾ ਹੋਣ ਵਾਲੀ ਔਰਤ ਤੇ ਅਸਰ ਦਾ ਅਜੇ ਪਤਾ ਨਹੀਂ ਲੱਗ ਸਕਿਆ।

ਆਪਣੇ ਹੱਥ ਬਾਹਾਂ ਤੇ ਮੂੰਹ ਧੋਵੋ:

- ਪੈਸਟੀਸਾਈਡ ਨਾਲ ਕੰਮ ਕਰਨ ਜਾਂ ਫਸਲ ਤੇ ਛਿੜਕਣ ਤੋਂ ਪਿੱਛੋਂ।
- ਖਾਣਾ ਖਾਣ, ਪਾਣੀ ਪੀਣ, ਸਿਗਰਟ ਪੀਣ ਜਾਂ ਟੁਆਲਿਟ ਜਾਣ ਤੋਂ ਪਹਿਲਾਂ।

ਤਾਜ਼ਾ ਛਿੜਕਾ ਕੀਤੀ ਫਸਲ ਨਾ ਖਾਓ।

ਕੱਪ ਜਾਂ ਕੰਨਟੇਨਰ ਵਿਚੋਂ ਪਾਣੀ ਨਾ ਪੀਓ ਜਦੋਂ ਤੱਕ ਤੁਹਾਨੂੰ ਨਿਸਚਾ ਨਾ ਹੋ ਜਾਵੇ ਕਿ ਇਹ ਸੁਰੱਖਿਅਤ ਹੈ। ਖਾਲੀ ਭਾਂਡੇ ਵਿੱਚ ਪੈਸਟੀਸਾਈਡ ਹੋ ਸਕਦੀ ਹੈ।

ਹਮੇਸ਼ਾ ਬਿਨਾਂ ਮਾਰਕ ਕੀਤੇ ਕੰਨਟੇਨਰਾਂ ਤੋਂ ਦੂਰ ਰਹੋ ਇੰਨ੍ਹਾਂ ਵਿੱਚ ਪੈਸਟੀਸਾਈਡ ਹੋ ਸਕਦੀ ਹੈ।

ਜੇ ਪੈਸਟੀਸਾਈਡ ਤੁਹਾਡੇ

ਅੰਦਰ ਲੰਘ ਗਈ ਹੈ ਤਾਂ ਡਾਕਟਰ ਨੂੰ ਜਲਦੀ ਬੁਲਾਓ।

ਪੈਸਟੀਸਾਈਡ ਦਾ ਲੇਬਲ ਜਾਂ ਨਾਂ ਆਪਣੇ ਪਾਸ ਰੱਖੋ। ਡਾਕਟਰ ਨੂੰ ਫਸਟ ਏਡ ਦੇ ਇਲਾਜ ਬਾਰੇ ਪੁੱਛੋ। ਜੇ ਤੁਸੀਂ ਡਾਕਟਰ ਪਾਸ ਜਾਓ ਤਾਂ ਪੈਸਟੀਸਾਈਡ ਦਾ ਨਾਂ ਜਾਂ ਲੇਬਲ ਜਾਂ ਪੀ. ਸੀ. ਪੀ. ਨੰਬਰ ਕੋਲ ਲੈ ਕੇ ਜਾਓ।

ਅਗਰ ਤੁਸੀਂ ਪੈਸਟੀਸਾਈਡ ਆਪਣੇ ਉਪਰ ਡੋਲੂ ਲਈ ਹੋਵੋ ਤਾਂ ਸਾਬਣ ਤੇ ਪਾਣੀ ਨਾਲ ਧੋਵੋ ਤੇ ਆਪਣੇ ਕੱਪੜੇ ਇੱਕ ਦਮ ਬਦਲ ਦੇਵੋ। ਅਗਰ ਜਰੂਰੀ ਹੋਵੇ ਤਾਂ ਆਪਣੀਆਂ ਅੱਖਾਂ ਵਿੱਚ 15 ਮਿੰਟ ਛਿੱਟੇ ਮਾਰੋ।

ਇਹ ਯਕੀਨੀ ਬਣਾਓ ਕਿ ਇਸ ਘਟਨਾ ਦਾ ਤੁਹਾਡੇ ਸੁਪਰਵਾਈਜ਼ਰ ਨੂੰ ਪਤਾ ਹੈ।